

Prospect	Drill Hole No.	From (metres)	To (metres)	Interval (metres)	AU grams/tonne
		(interval reported is drilled thickness)			
Capulin	PC09-01	21.33	22.01	0.68	1.03
	PC09-02	18.25	20.43	2.18	1.97
	<i>includes</i>	19.34	20.43	1.09	3.28
		35.05	38.10	3.05	1.79
	PC09-03	68.97	69.34	0.37	1.12
		97.87	99.11	1.24	4.08
	<i>includes</i>	98.49	99.11	0.62	7.54
		125.42	128.98	3.56	3.58
	<i>includes</i>	125.77	126.95	1.18	8.55
<i>includes</i>	126.95	128.98	2.03	1.26	
	132.48	132.78	0.30	12.03	
	PC09-05	70.03	70.98	0.95	1.59
	PC09-09	22.00	22.76	0.76	1.05
Manuela	PC09-14	62.42	67.17	4.75	7.39
	<i>includes</i>	63.42	64.42	1.00	2.46
	<i>includes</i>	64.42	65.47	1.05	2.55
	<i>includes</i>	65.47	66.47	1.00	1.25
	<i>includes</i>	66.47	67.17	0.70	40.01
	PC09-15	129.61	129.91	0.30	2.20
		159.20	173.22	14.02	1.05
	<i>includes</i>	159.20	160.81	1.61	1.07
	<i>includes</i>	162.63	163.43	0.80	13.01
	<i>includes</i>	167.64	168.24	0.60	2.24
		196.75	197.75	1.00	1.15
		216.35	217.18	0.83	1.11
		243.45	244.52	1.07	1.48
		251.69	268.25	16.56	0.90
	<i>includes</i>	251.69	252.03	0.34	15.31
	<i>includes</i>	254.50	255.50	1.00	2.46
	<i>includes</i>	263.65	264.09	0.44	12.98
	PC09-16	51.92	53.43	1.51	3.31
<i>includes</i>	52.65	53.43	0.78	6.24	
	PC09-17	33.66	34.66	1.00	2.07
	PC09-18	259.47	260.66	1.19	5.02
Guaico	PC09-19	264.79	265.17	0.38	3.64
	PC09-20	38.81	45.72	6.91	15.73
	<i>includes</i>	38.81	39.08	0.27	13.94
	<i>includes</i>	39.43	39.79	0.36	7.34
	<i>includes</i>	41.84	42.43	0.59	162.66
	<i>includes</i>	42.87	44.19	1.32	3.38
	PC09-21	42.67	44.19	1.52	1.58
Nus	PC09-22	14.70	26.19	11.49	1.31
	<i>includes</i>	18.30	19.19	0.89	7.15

Prospect	Drill Hole No.	From (metres)	To (metres)	Interval (metres)	AU grams/tonne
	(interval reported is drilled thickness)				
	<i>includes</i>	19.19	20.19	1.00	1.52
	<i>includes</i>	22.19	23.19	1.00	1.83
	<i>includes</i>	23.19	24.19	1.00	2.43
	<b>PC09-25</b>	25.90	27.43	1.53	1.20
		43.14	50.98	7.84	1.61
	<i>includes</i>	43.14	44.19	1.05	1.99
	<i>includes</i>	44.19	45.19	1.00	3.36
	<i>includes</i>	45.19	46.19	1.00	2.95
	<i>includes</i>	49.24	49.98	0.74	1.38
	<i>includes</i>	49.98	50.98	1.00	1.61
<b>Guayabito</b>	<b>PC09-26</b>	101.37	103.62	2.25	1.48
		165.76	167.27	1.51	3.83
		175.89	187.56	11.67	22.56
	<i>includes</i>	175.89	176.89	1.00	3.34
	<i>includes</i>	176.89	177.94	1.05	31.27
	<i>includes</i>	177.94	179.46	1.52	1.54
	<i>includes</i>	179.46	180.99	1.53	4.02
	<i>includes</i>	180.99	182.86	1.87	14.50
	<i>includes</i>	182.86	183.56	0.70	216.34
	<i>includes</i>	183.56	184.56	1.00	23.92
	<i>includes</i>	184.56	185.56	1.00	11.12
	<i>includes</i>	185.56	186.56	1.00	4.31
		191.65	195.64	3.99	6.91
	<i>includes</i>	194.64	195.64	1.00	26.25
		215.89	221.39	5.50	1.39
	<i>includes</i>	217.39	218.93	1.54	3.64
		245.04	249.10	4.06	3.79
	<i>includes</i>	245.04	245.84	0.80	12.07
	<i>includes</i>	248.05	249.10	1.05	4.25
		250.02	251.70	1.68	1.95
		253.95	255.75	1.80	1.56
	<b>PC09-27</b>	87.30	89.39	2.09	1.15
	<i>includes</i>	87.30	88.39	1.09	1.38
		100.65	107.15	5.75	4.61
	<i>includes</i>	100.65	101.40	0.75	11.79
	<i>includes</i>	103.15	105.15	2.00	8.07
	<i>includes</i>	106.15	107.15	1.00	1.23
		116.74	123.14	6.40	6.37
	<i>includes</i>	116.74	118.21	1.47	9.44
	<i>includes</i>	118.21	118.65	0.44	44.25
	<i>includes</i>	119.85	120.54	0.69	2.80
	<i>includes</i>	120.54	122.14	1.60	1.10
	<i>includes</i>	122.14	123.14	1.00	3.47

Prospect	Drill Hole No.	From (metres)	To (metres)	Interval (metres)	AU grams/tonne
		(interval reported is drilled thickness)			
	<b>PC09-28</b>	66.87	67.32	0.45	11.13
		82.46	84.17	1.71	2.17
		97.74	98.34	0.60	3.67
		111.66	112.16	0.50	48.87
		132.10	136.20	4.10	4.88
	<i>includes</i>	132.10	133.10	1.00	10.16
	<i>includes</i>	135.20	136.20	1.00	9.38
	<b>PC09-29</b>	27.43	27.83	0.40	46.59
		121.79	124.07	2.28	4.49
		169.11	170.11	1.00	3.56
		198.67	201.90	3.23	22.05
	<i>includes</i>	198.67	200.90	2.23	31.04
	<i>includes</i>	200.90	201.90	1.00	1.99
	<b>PC09-30</b>	130.90	139.20	8.30	5.56
	<i>includes</i>	130.90	132.41	1.51	1.45
	<i>includes</i>	132.41	133.95	1.54	1.01
	<i>includes</i>	135.20	136.20	1.00	3.12
	<i>includes</i>	136.20	137.20	1.00	37.57
		138.20	139.20	1.00	1.26
		170.06	170.98	0.92	6.56
<b>Guaico NS</b>	<b>PC10-01</b>	67.95	72.30	4.35	16.60
	<i>includes</i>	69.24	70.24	1.00	61.80
	<b>PC10-02</b>	98.60	99.25	0.65	1.24
	<b>PC10-05</b>	37.80	38.30	0.50	21.20
		67.70	68.60	0.90	8.27
		74.30	75.00	0.70	1.02
	<b>PC10-06</b>	84.00	84.65	0.65	1.86
	<b>PC10-07</b>	31.05	31.50	0.45	2.30
		54.43	54.73	0.30	2.00
		57.40	58.04	0.64	4.00
		82.90	83.30	0.40	6.10
		86.50	89.16	2.66	1.30
		125.35	125.65	0.30	1.04
	<b>PC10-08</b>	43.70	44.00	0.30	1.35
		110.25	122.43	12.18	1.21
	<i>includes</i>	114.00	115.50	1.50	2.28
	<i>includes</i>	115.50	117.15	1.65	3.05
		132.00	136.20	4.20	4.00
	<i>includes</i>	133.35	135.05	1.70	6.70
	<i>includes</i>	135.05	136.20	1.15	3.91
		153.97	160.10	6.13	1.93
	<i>includes</i>	153.97	154.90	0.93	2.96
	<i>includes</i>	154.90	156.00	1.10	4.25

Prospect	Drill Hole No.	From (metres)	To (metres)	Interval (metres)	AU grams/tonne	
	<i>includes</i>	157.60	158.50	0.90	4.00	
		169.58	170.22	0.64	3.92	
Nus EW	<b>PC10-09</b>	37.50	39.00	1.50	1.68	
		42.40	42.80	0.40	2.02	
	<b>PC10-10</b>	49.50	63.00	13.50	1.05	
	<i>includes</i>	51.05	51.48	0.43	2.30	
	<i>includes</i>	51.48	52.48	1.00	2.10	
	<i>includes</i>	53.48	54.85	1.37	4.10	
	<b>PC10-12</b>	75.00	85.15	10.15	0.83	
	<i>includes</i>	75.00	77.00	2.00	1.56	
	<i>includes</i>	77.00	79.00	2.00	1.81	
		85.15	86.15	1.00	1.10	
	<b>PC10-14</b>	71.40	83.37	11.97	1.80	
	<i>includes</i>	72.60	73.18	0.58	4.06	
	<i>includes</i>	74.10	74.60	0.50	3.37	
<i>includes</i>	76.80	79.25	2.45	3.72		
Guaico NS	<b>PC10-16</b>	47.35	60.80	13.45	4.05	
	<i>includes</i>	47.35	53.60	6.25	8.64	
	<i>includes</i>	48.00	49.20	1.20	19.66	
Nus EW	<b>PC10-17</b>	27.80	51.28	23.48	2.07	
	<i>includes</i>	34.00	45.55	11.55	3.96	
	<i>includes</i>	38.50	42.50	4.00	6.78	
		65.00	66.00	1.00	17.50	
		67.10	67.60	0.50	4.69	
		72.90	73.60	0.70	4.95	
	<b>PC10-18</b>	34.55	58.50	23.95	2.57	
	<i>includes</i>	42.40	53.60	11.20	5.44	
	<i>includes</i>	44.25	53.60	9.35	6.44	
	<i>includes</i>	45.00	46.50	1.50	7.18	
	<i>includes</i>	49.40	51.00	1.60	16.70	
	Guayabito	<b>PC10-21</b>	35.80	41.30	5.50	2.80
		<i>includes</i>	37.15	41.30	4.15	3.64
		130.50	139.00	8.50	3.60	
<i>includes</i>		130.50	134.80	4.30	6.67	
<i>includes</i>		132.90	134.85	1.95	12.83	
		170.20	207.35	37.15	4.45	
<i>includes</i>		170.20	175.50	5.30	8.99	
<i>includes</i>		186.25	194.00	7.75	5.92	
<i>includes</i>		200.10	207.35	7.25	9.27	
<i>includes</i>		170.20	170.90	0.70	30.30	
<i>includes</i>		170.90	172.00	1.10	12.03	
		191.90	192.70	0.80	23.60	

Prospect	Drill Hole No.	From (metres)	To (metres)	Interval (metres)	AU grams/tonne
	<i>includes</i>	200.10	201.20	1.10	39.99
	<b>PC10-22</b>	11.25	13.50	2.25	1.44
		41.80	42.10	0.30	2.32
		61.28	61.58	0.30	6.96
		83.00	84.10	1.10	1.25
	<b>PC10-23</b>	17.70	18.00	0.30	4.65
	<b>PC10-24</b>	23.00	23.30	0.30	10.97
		76.1	102	25.9	1.56
	<i>includes</i>	76.1	92.25	16.15	2.04
	<i>includes</i>	76.10	76.40	0.30	28.8
	<i>includes</i>	81.10	81.55	0.45	14.36
	<i>includes</i>	87.20	87.80	0.60	17.33
	<b>PC10-25</b>	29.25	30.75	1.50	1.22
		35.80	39.42	3.62	5.12
	<i>includes</i>	37.72	39.42	1.70	14.4
	<b>PC10-26</b>	12.70	13.95	1.25	2.1
		17.50	19.25	1.75	2.17
		38.75	39.30	0.55	1.44
		44.05	44.45	0.40	13.54
		110.70	115.77	5.07	9.33
	<i>includes</i>	114.00	114.95	0.95	38.98
		123.15	124.50	1.35	1.4
	<b>PC10-27</b>	95.75	96.85	1.10	7.53
	<b>PC10-28</b>	162.70	163.25	0.55	12.6
	<b>PC10-29</b>	86.45	86.75	0.30	3.35
		146.90	147.70	0.80	6.42
		180.40	182.65	2.25	3.2
	<i>includes</i>	180.40	180.70	0.30	16.35
	<b>PC10-33</b>	31.50	34.30	2.80	1.74
	<i>includes</i>	33.50	34.30	0.80	3.83
	<b>PC10-35</b>	105.85	106.30	0.45	140.36
	<b>PC10-36</b>	106.00	108.65	2.65	3.33
	<i>includes</i>	107.95	108.65	0.7	7.29
		131.15	131.45	0.30	5.07
	<b>PC10-37</b>	101.95	102.60	0.65	5.94
		158.57	159.90	1.33	22.63
		203.94	204.65	0.71	5.34
		231.75	232.60	0.85	3.01
	<b>PC10-38</b>	31.85	35.20	3.35	4.29
	<i>includes</i>	31.85	32.50	0.65	6.84
	<i>includes</i>	32.50	33.45	0.95	5.03
	<i>includes</i>	33.45	34.50	1.05	4.23
	<i>includes</i>	35.00	35.20	0.20	3.43

Prospect	Drill Hole No.	From (metres)	To (metres)	Interval (metres)	AU grams/tonne
	<b>PC10-39</b>	180.65	181.90	1.25	9.96
	<i>includes</i>	180.65	181.27	0.62	18.75
	<i>includes</i>	181.27	181.90	0.63	1.32
	<b>PC10-40</b>	104.50	106.00	1.50	7.31
	<i>includes</i>	104.50	105.00	0.50	21.93
		150.75	152.04	1.29	5.66
	<i>includes</i>	151.31	151.54	0.23	31.70
		155.65	157.23	1.58	1.22
	<i>includes</i>	156.25	156.75	0.50	3.84
		318.20	319.50	1.30	1.70
	<i>includes</i>	319.25	319.50	0.25	8.36
	<b>PC10-41</b>	144.50	145.85	1.35	2.69
	<i>includes</i>	145.00	145.35	0.35	3.34
	<i>includes</i>	145.35	145.85	0.50	4.93
		151.40	153.05	1.65	5.41
	<i>includes</i>	151.40	152.55	1.15	5.32
	<i>includes</i>	152.55	153.05	0.50	5.61
		169.80	171.95	2.15	2.42
	<i>includes</i>	170.95	171.95	1.00	5.09
		179.00	180.40	1.40	12.09
	<i>includes</i>	179.50	179.90	0.40	42.27
		193.00	196.40	3.40	1.54
	<i>includes</i>	193.00	193.80	0.80	1.63
	<i>includes</i>	194.80	195.40	0.60	3.23
	<i>includes</i>	195.40	196.40	1.00	1.45
		290.20	292.10	1.90	0.97
	<i>includes</i>	291.20	292.10	0.90	2.04
	<b>PC10-42</b>	175.27	176.54	1.27	0.74
	<i>includes</i>	175.80	176.04	0.24	3.86
	<b>PC10-43</b>	364.22	365.40	1.18	6.09
	<i>includes</i>	364.52	364.82	0.30	20.99
	<i>includes</i>	364.82	365.40	0.58	1.51
	<b>PC10-44</b>	33.90	35.05	1.15	7.66
	<i>includes</i>	33.90	34.20	0.30	1.54
	<i>includes</i>	34.70	35.05	0.35	23.84
		101.95	103.25	1.30	4.15
	<i>includes</i>	101.95	102.10	0.15	3.26
	<i>includes</i>	102.10	102.35	0.25	1.21
	<i>includes</i>	102.35	102.75	0.40	11.49
		186.95	187.75	1.30	3.66
	<i>includes</i>	186.95	187.75	0.80	5.94
	<b>PC10-45</b>	49.25	50.55	1.30	1.08
	<i>includes</i>	49.75	50.05	0.30	4.67

Prospect	Drill Hole No.	From (metres)	To (metres)	Interval (metres)	AU grams/tonne
		95.58	95.78	0.20	3.86
		132.13	133.30	1.17	1.26
	<i>includes</i>	132.95	133.30	0.35	4.23
		134.65	135.08	0.43	3.79
		359.00	359.40	0.40	2.45
		380.75	382.80	2.05	1.58
	<i>includes</i>	380.75	381.45	0.70	1.75
	<i>includes</i>	381.45	381.85	0.40	1.54
	<i>includes</i>	381.85	382.80	0.95	1.48
		392.92	393.25	0.33	1.75
	<b>PC10-46</b>	57.07	58.30	1.23	1.37
		92.83	95.88	3.05	4.58
	<i>includes</i>	92.83	93.68	0.85	13.52
	<i>includes</i>	92.83	93.23	0.40	1.29
	<i>includes</i>	93.48	93.68	0.20	54.53
	<i>includes</i>	95.55	95.88	0.33	6.78
		132.30	134.80	2.50	8.82
	<i>includes</i>	132.30	132.80	0.50	4.73
	<i>includes</i>	132.80	133.50	0.70	12.16
	<i>includes</i>	133.50	134.15	0.65	12.14
	<i>includes</i>	134.15	134.80	0.65	5.03
		137.70	138.40	0.70	1.66
	<b>PC10-47</b>	49.70	50.25	0.55	24.55
		85.35	87.10	1.75	8.81
	<i>includes</i>	86.35	87.10	0.75	20.36
		129.20	129.55	0.35	1.72
		269.00	270.00	1.00	1.08
	<b>PC10-48</b>	<b>178.50</b>	<b>179.50</b>	<b>1.00</b>	<b>5.15</b>
	<i>includes</i>	179.00	179.50	0.50	9.98
		<b>246.30</b>	<b>248.00</b>	<b>1.70</b>	<b>2.28</b>
	<i>includes</i>	246.30	246.67	0.37	10.43
	<b>PC10-49</b>	27.00	29.00	2.00	1.30
		72.30	74.30	2.00	3.34
	<i>includes</i>	73.30	74.30	1.00	6.06